

Запчасти для насосов, клапанов, детекторов утечки, аксессуары

Аксессуары для насосов – комплекты для промывки, кабели, датчики расхода, переключатель охлаждения, муфты, адаптеры, редукторы, входные сифоны, фильтры, глушители, кабели, прокладки, виброизоляторы, блоки питания, изоляторы

Принадлежности для детекторов утечки гелия – насадка, наконечники зонда, корпуса, калиброванные течи, кабельные автозапуски, кейсы, передатчики беспроводные, интерфейсы расширителя, стандартные линии щупа, пульты дистанционного управления и др.

Аксессуары для механических усилителей – комплекты для модернизации охладителя, дополнительные охладители, ограничители потока, продувки, ускорители очистки и др.

Запчасти, смазочные материалы – электрика, подшипники, корпуса, литые детали, инструменты, комплекты, фильтры, модули, тарелки, двигатели, коробки передач, уплотнители, глушители, валы, очки для зрения, рукава, аппаратное обеспечение, клапаны, лопасти, танки, масла, смазки и др.

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ewc@nt-rt.ru || сайт: <https://edwards.nt-rt.ru/>



Exhaust temperature indicator accessory kit CXS, M52809170

M52809170



Exhaust Manual Isolation Valve Kit, M52808600

M52808600



Purge gas flow meter accessory kit CXS, M52805170

M52805170



Inlet pressure indicator accessory kit CXS, M52808460

M52808460



Inlet temperature indicator accessory kit CXS, M52809160

M52809160



Exhaust temperature transmitter accessory kit CXS, M52809280

M52809280



Exhaust pressure indicator accessory kit CXS, M52808480

M52808480



Cable 10m for EEC nHT32-35, B61001120
B61001120



Water flow monitor nHT, 500006623
500006623



Switch Cooling-Fail - nHT, 12284
12284



Switch Cooling-Fail - Thermal Snap-Switch, B02302000
B02302000



Silencer cleanable NW40 bottom drain, M58810142

M58810142



Exhaust silencer kit - EDO, A50871100

A50871100



Quick Connect Body - 1/4 Od Conn, U30003956

U30003956



Silencer - IF1400, NKB530000

NKB530000



HFP_SF 750-4200 UP-GR, M59945021

M59945021



HFP_SF 750-2600 UP-GR, M59935021

M59935021



LD TO MD GAS GXS750 UP-GR, M59905022

M59905022



Inlet spool - ISO160 - ISO200 carbon steel, M59848003

M59848003



Inlet spool - ISO160 - ANSI 8" St St, M59848134

M59848134



Inlet Filter - ANSI 8" - ISO200 St St, M59848137

M59848137



Inlet spool - ISO160 - ISO200 St St, M59848135

M59848135



Inlet Filter - ANSI 8" - ISO200 carbon steel, M59848005

M59848005

Inlet isolation valve ANSI 8" EPDM, M59848004

M59848004



Inlet spool - ISO160 - ANSI 8" carbon steel, M59848002

M59848002



HFP_SF 450-4200 UP-GR, M59845021

M59845021



HFP_SF 450-2600 UP-GR, M59835021

M59835021



Exhaust silencer - 150 ctr assembly carbon steel - GXS, M59838161

M59838161



Exhaust silencer - 150 ctrs assembly GXS St St, M59838162

M59838162



Silencer vertical assembly 150ctr, M59838163

M59838163



Check valve - horizontal silencer - 150 ctr, M59838012

M59838012



Horizontal silecer mounting - 150 ctr, M59838009

M59838009

GBP 1,663.00

[View Details](#)



Inlet spool - ISO100 - ANSI 4" St St, M59808134

M59808134

GBP 2,059.00

[View Details](#)



Inlet spool - ISO100 - ISO100 St St, M59808135

M59808135

GBP 1,304.00

[View Details](#)



Rear silencer horizontal mounting - 100 ctr, M59808151

M59808151

GBP 814.00

[View Details](#)



Inlet spool - ISO100 - ISO100 - carbon steel, M59808138
M59808138

GBP 625.00

[View Details](#)



Inlet spool - ISO100 - ANSI 4" carbon steel, M59808002
M59808002

GBP 770.00

[View Details](#)



Inlet spool - ISO160 - ISO160 carbon steel, M58938003
M58938003

GBP 767.00

[View Details](#)



GXS2600 EES UPGRADE KIT, M58935019

M58935019

GBP 896.00

[View Details](#)



Inlet spool - ISO160 - ANSI 6" St St, M58938134

M58938134

GBP 2,851.00

[View Details](#)



Inlet Filter - ANSI 6" - ISO160 carbon steel, M58828005

M58828005

GBP 4,036.00

[View Details](#)



Inlet spool - ISO100 - ANSI 6" St St, M58828134

M58828134

GBP 2,563.00

[View Details](#)



Inlet Filter - ANSI 6" - ISO160 St St, M58828137

M58828137

GBP 12,853.00

[View Details](#)



Inlet spool - ISO160 - ISO160 St St, M58938135

M58938135

GBP 2,126.00

[View Details](#)



Inlet spool - ISO160 - ANSI 6" carbon steel, M58938002

M58938002

GBP 872.00

[View Details](#)



Inlet isolation valve - ANSI 6" EPDM, M58828004

M58828004

GBP 3,834.00

[View Details](#)



GXS160-1750 EES UPGRADE, M58825019

M58825019

GBP 896.00

[View Details](#)



HFP_SF COMBI 100CTRS UP-GR, M58825021

M58825021

GBP 2,877.00

[View Details](#)



Inlet spool - ISO100 - ISO160 St St, M58828135

M58828135

GBP 1,651.00

[View Details](#)



Inlet spool - ISO100 - ISO160 carbon steel, M58828003

M58828003

GBP 686.00

[View Details](#)



Inlet spool - ISO100 - ANSI 6" - carbon steel, M58828002

M58828002

GBP 791.00

[View Details](#)



Silencer cleanable NW50 assembly, M58810141

M58810141



Exhaust silencer 100 ctr assembly carbon steel - GXS, M58808161

M58808161



Silencer cleanable NW40 St St, M58810140

M58810140



Exhaust silencer - 100 ctrs assembly St St - GXS, M58808162

M58808162



Pressure_Transducer_Assembly_(ASG, M58808152
M58808152



Check valve - horizontal silencer - 100 ctr, M58808012
M58808012



Inlet Filter - ANSI 4" - ISO100 St St, M58808137
M58808137



Rear silencer horizontal mounting - 100ctr, M58808151
M58808151



Inlet spool - ISO63 - ISO100 carbon steel, M58808138
M58808138



Inlet spool - ISO63 - ISO100 St St, M58808135
M58808135



Inlet filter - ANSI 4" - ISO100 carbon steel, M58808005
M58808005



LD TO MD GAS 100CTS UP-GR, M58805022
M58805022

Inlet isolation valve - ANSI 4" EPDM, M58808004

M58808004



Inlet spool - ISO63 - ANSI 4" St St, M58808134

M58808134



Horizontal silecer mounting - 100 ctr, M58808009

M58808009



Inlet spool - ISO63 - ANSI 4" - carbon steel, M58808002

M58808002



HFP_SF PUMP ONLY 100CTRS UP-GR, M58805021

M58805021



GXS Booster purge KIT GMB 1750 2600, M56425030

M56425030



CXS Inlet pressure transmitter accessory, M52809200

M52809200



Coupling / Adapter / Reducer - 3/8" BSP St St quick connect plug, H03530069

H03530069



GXS/CXS Profibus Module Kit, D39753000

D39753000



Back Shell Kit MCM, D37422802

D37422802



Cable Gauge - GXS Auxilliary (0-10V), D37241017

D37241017



Cable Gauge - GXS (4-20mA), D37241019

D37241019



GXS Pressure input connector (4-20mA), D37241023
D37241023



FLOW MONITOR 0-4-200SLM KIT, A60027044
A60027044



Silencer EDC, A50875711
A50875711



Check valve kit - iXL NW50, A50790000
A50790000



Check valve kit - iXH, A50782000

A50782000



GXS N2 STD FLOW SWITCH KIT, A50633000

A50633000



GXS N2 HIGH FLOW SWITCH KIT, A50634000

A50634000



GV80 EH250 Booster Connection Kit, A50559000

A50559000

GV80 EH500A Booster Connection Kit, A50560000

A50560000



PEEK BoV Ball Kit, A41897001

A41897001



Silencer Kit NW40 Dry 300, A41896009

A41896009



Silencer chemical - EDS, A41896008

A41896008



BoV plug Kit, A41897000

A41897000



Connection Kit - EDS480, A41893002

A41893002



EDS480 Check Valve, A41896006

A41896006



Connection Kit - EDS to EH 1200/2600/4200, A41893000

A41893000



EDS Glycol Filling Kit, A41892005

A41892005



Connection Kit - EDS to EH500, A41893001

A41893001



EDS Solvent Flush Kit Manual Valve, A41892002

A41892002



Solenoid Valve accessory, A41891001

A41891001



EDS Inlet Purge Kit Std Solenoid, A41891004

A41891004



EDS Inlet Purge Kit Manual, A41891002

A41891002



TCV Kit Indirect Cooled, A41890001

A41890001



TCV Kit Direct Cooled, A41890000

A41890000



4IN_FLTR EL POLY-GAL SUPT ASSY, A22304363

A22304363



6IN_FLTR EL POLY-GAL SUPT ASSY, A22304367

A22304367



6IN_FLTR EL SS-SS SUPT ASSY, A22304370

A22304370



NPT threaded outlet silencer EDC 065-300V, 8092302028

8092302028

Silencer G threaded EDC 065-300V, 8092302010

8092302010



Liquid separator EDC 300V, 8092301004

8092301004



Coupling / Adapter / Reducer - 1/2" BSP Male to 1/2" NPT Male Brass, ME5400020

ME5400020



Accoustic Enclosure - XDS nXDS 110V, NRY5C0000
NRY5C0000



Accoustic Enclosure - XDS nXDS 230V, NRD797000
NRD797000



Mounting kit - nXRi, A90590000
A90590000



Gas ballast blank plug, A73501806
A73501806



Inlet Filter - 5 micron element kit XDS nXDS, A50597802

A50597802



Cable Power Mains - 2.5m China/Australia GB2099 (type I) 250V 16A - C19 straight plug (mainly nXRi, XDS, nXLi, E2M18/28), A50509003

A50509003



Cable Power Mains - 2m UK BS1363 (type G) - C13 3A (XDD1), A50516000

A50516000



Cable Power Mains - 2m USA/Canada (200-240V) NEMA 6-15P - C19 15A straight plug (mainly nXRi, XDS, nXLi, E2M18/28), A50507006

A50507006



Cable Power Mains - 2m China GB2099 (typ I) - C13 straight plug (mainly nXDS, E2M0.7/1.5, RV, T-Station ...), A50509001

A50509001



Baseplate - D-Lab Pumps 34-100 34-8, A48021134

A48021134



Gas ballast - D-Lab 20+34-8, A48017135

A48017135



Condenser - D-Lab Pumps, A48015137

A48015137



Gas ballast for D-Lab pumps 10-100,10-8, A48015135

A48015135



Baseplate - D-Lab 10+20-X, A48015134

A48015134



Separator D-Lab, A48015136

A48015136



Vibration isolator - Pk4 XDS35, A24801408

A24801408

Chemical conversion kit - nXDS 6,10,15, A73501807

A73501807



Inlet outlet filter NW40 XDS, A50597806

A50597806



Silencer - XDS35, A50597001

A50597001



Gas ballast adapter kit - XDS with 0.25mm hole, A50626801

A50626801



Inlet Filter - 1 micron element kit XDS nXDS, A50597803
A50597803



Inlet outlet filter - NW25 (XDS/nXDS/mXDS3), A50597805
A50597805



Vibration isolator - Pk4 nXDS, A24801441
A24801441



Gas ballast adapter kit - nXDS no restriction, A73501811
A73501811



Cable Comms - USB interface cable - DSUB 15-pin Female (comms), DSUB 15-pin Male (power), USB Typ-A Male, D39801810

D39801810



Chemical conversion kit - nXDS 20, A73501808

A73501808



Gas ballast adapter kit - nXDS, A73501809

A73501809



Silencer - nXDS, A50597000

A50597000



mXDS3s Retrofit Kit (for T-Station), TSM110010

TSM110010



Vent Port Adapter nEXT (G1/8" - 10KF), B58066011

B58066011



Purge vent valve - TAV5 N/O - without Connector 24V DC 1/8" BSPP (G), B58066010

B58066010



Purge Restrictor - PRX10, B58065001

B58065001



Cable Power Control - pump to Controller - 1m (nEXT nXDS XDS - 15-way D-sub), D39700835
D39700835



Cable Power Mains - 3 m US Nema 5-15P 120VAC - CA 3 LD (EPS 800,IP54), B8J200830
B8J200830



Power Supply - EPS 500 - nEXT730/930, B8J200811
B8J200811



Cable Power Mains - 2.5m UK BS1363 (type G) - CA 3 LD (EPS 800, IP54), B8J200831
B8J200831



Power Supply - EPS 800 - nEXT730/930/1230 (IP54), B8J200819

B8J200819



Mounting Kit EPS 800 nEXT 730/930/1230 (washers and bolts enclosed), B8J200832

B8J200832



Cable Power DC - extention nEXT730/930/1230 48V DC - 3m (EPS 800 only), B8J200824

B8J200824



Cable Power Mains - 2.5m EU CEE 7/7 (Schuko type F) - CA 3 LD (EPS 800, IP54), B8J200829

B8J200829

Cable Power Mains - 3m UK BS1363 (type G) - C13 (EPS 500), B8J200814

B8J200814



Cable Power DC - extention nEXT730/930/1230 48V DC - 5m (EPS 800 only), B8J200825

B8J200825



Cable Power DC - extention nEXT Supply 48V DC - 3m (EPS 500 only), B8J200822

B8J200822



Cable Power DC - extention nEXT Supply 48V DC - 5m (EPS 500 only), B8J200823

B8J200823



Cable Power DC - extention nEXT Supply 48V DC - 1m (EPS 500 only), B8J200821

B8J200821



Water Cooling Unit - nEXT 730/930 1/4" BSPP (G) Female, B8J200820

B8J200820



Cable Power Mains - 3m US NEMA 5-15P 115V - C13 (EPS 500), B8J200813

B8J200813



Cable Power DC - nEXT Supply 48V DC - open end 1m (external power supply), B8J200815

B8J200815



Cable Power DC - nEXT Supply 48V DC - open end 5m (external power supply), B8J200817
B8J200817



Air Cooling Unit - radial nEXT730/930, B8J200800
B8J200800



Cable Power Mains - 3m EU CEE 7/7 (Schuko type F) - C13 (EPS 500), B8J200812
B8J200812



Cable Power DC - nEXT Supply 48V DC - open end 3m (external power supply), B8J200816
B8J200816



Inlet screen - DN 200 CF Fine, B8J200810

B8J200810



Center ring with protection screen - DN 200 ISO-K Coarse, B8J200807

B8J200807



Center ring with protection screen - DN 200 ISO-K Fine, B8J200808

B8J200808



Air Cooling Unit - radial nEXT1230, B8J200801

B8J200801



Inlet screen - DN 200 CF Coarse, B8J200809

B8J200809



Adapter accessory connection "Y", B8G200837

B8G200837



Cable Accessory - connector bare wired (Mating Half Connector Kit), B8G200839

B8G200839



Cable Accessory - extension 90 degree, B8G200836

B8G200836

Purge vent valve - TAV5 N/C - connector fitted 24V DC 1/8" BSPP (G), B8G200835

B8G200835



Base Mount Adapter - EXT 75DX / nEXT85, B8G200838

B8G200838



Water Cooling Unit - kit (4 position, nEXT85), B8G200833

B8G200833



Flange Heater - CF63 110V 90W, B8G200823

B8G200823



Flange Heater - CF63 240V 90W, B8G200824

B8G200824



Purge vent valve - TAV5 N/O - connector fitted 24V DC 1/8" BSPP (G), B8G200834
B8G200834



Air Cooling Unit - ACX85 - connector fitted (nEXT85), B8G200820
B8G200820



Air Cooling Unit - ACX85 - without Connector (nEXT85), B8G200821
B8G200821



Inlet screen - DN 100 CF Fine, B80000822

B80000822



Water Cooling Unit - kit (nEXT240/300/400), B80000815

B80000815



Air Cooling Unit - axial 24V nEXT (3m Lead, nEXT240/300/400), B58053185

B58053185



Air Cooling Unit - axial 24V - nEXT (Phoenix, nEXT240/300/400), B58053180

B58053180



Vibration Isolator - DN63 ISO-K, B58115000

B58115000



Purge vent valve - TAV5 N/C - without Connector 24V DC 1/8" BSPP (G), B58066040

B58066040



Air Cooling Unit - radial 24V nEXT (3m Lead, nEXT240/300/400), B58053175

B58053175



Flange Heater - CF160 240V, B58052776

B58052776



Flange Heater - CF100 240V, B58052774

B58052774



Flange Heater - CF160 120V, B58052775

B58052775



Air Cooling Unit - radial 24V nEXT (Phoenix, nEXT240/300/400), B58053170

B58053170



Vibration Isolator - DN100 ISO-K, B58120000

B58120000

Vibration Isolator - DN100 CF, B58105000

B58105000



Vibration Isolator - DN63 CF, B58101000

B58101000



Cable Power Control - pump to Controller - 5m (nEXT nXDS XDS - 15-way D-sub), D39700837

D39700837



Vibration Isolator - DN160 CF, B58110000

B58110000



Cable Power Control - pump to Controller - 2m (nEXT nXDS XDS - 15-way D-sub), D39700836

D39700836



Flange Heater - CF100 120V, B58052773

B58052773



RV/EM Acoustic Enclosure, NRD317000
NRD317000



RV/EM Acoustic Enclosure, NRD318000
NRD318000



Foreline trap - FL20K (1kg), A13305000
A13305000



Connection Kit - E2M80/EH1200, NZA609000
NZA609000



Connection Kit - E2M175/EH1200, NZA611000

NZA611000



Connection Kit - E2M175/EH500, NZA610000

NZA610000



Connection Kit - E2M40/EH500, NZA608000

NZA608000



Connection Kit - E2M40/EH250, NZA607000

NZA607000



Adapter - G 3" Male - NPT 3" Female, EK6700843

EK6700843



Adapter - G 2" Male - NPT 2" Female, EK71231973

EK71231973



Energy Efficiency Controller (EEC), B61001100

B61001100



Pressure transducer, A50862738

A50862738

Retrofit Wet Version EOS1300-1900i, A50862739

A50862739



Gateway, A50862740

A50862740



Transformer sales kit - 500-575V EOS1900i & EOS1600Qi, A50862733

A50862733



Transformer sales kit - 500-575V EOS1300i, A50862731

A50862731



Energy recovery for EOS1300-1900i, A50862725

A50862725



ICOns box, A50862734

A50862734



Transformer sales kit - 500-575V EOS1600i & EOS1300Qi, A50862732

A50862732



Transformer sales kit - 200-230V EOS1300i, A50862728

A50862728



Transformer sales kit - 200-230V EOS1900i & EOS1600Qi, A50862730
A50862730



Transformer sales kit - 200-230V EOS1600i & EOS1300Qi, A50862729
A50862729



Outlet flange - G threaded EOS1300-1900i, A50862726
A50862726



Cable Comms - CAN Bus (per meter), A50862724
A50862724



NPT threadedoutlet for EOS1300-1900i, A50862727

A50862727



ECOntrol6V - UL, cUL approved, A50862720

A50862720



Remote pressure transducer, A50862718

A50862718



CAN connector, A50862723

A50862723



ECOntrol16V - UL, cUL approved, A50862722

A50862722



Retrofit Wet Version EOS350-900i, A50862717

A50862717



ECOntrol6V - IEC approved, A50862719

A50862719



Transformer sales kit - 500-575V EOS350-585i & EOS350Qi, A50862711

A50862711

ECOntrol16V - IEC approved, A50862721

A50862721



Isolation valve - EOS1300-1900i, A50862716

A50862716



Transformer sales kit - 200-230V EOS730i & EOS585Qi, A50862709

A50862709



Transformer sales kit - 500-575V EOS730i & EOS585Qi, A50862712

A50862712



Transformer sales kit - 500-575V EOS900i & EOS730Qi, A50862713

A50862713



Transformer sales kit - 200-230V EOS900i & EOS730Qi, A50862710

A50862710



Transformer sales kit - 200-230V EOS350-585i & EOS350Qi, A50862708

A50862708



High accuracy pressure transducer for EOS350-1900i, A50862706

A50862706



Isolation valve - EOS350-900i, A50862707

A50862707



EControl4i - EOS350-1900i, A50862700

A50862700



NPT threaded inlet for EOS350-900i, A50862704

A50862704



EControl6i - EOS350-1900i, A50862701

A50862701



Inlet flange - G threaded EOS350-900i, A50862702

A50862702



G threaded outlet for EOS350-900i, A50862703

A50862703



NPT threaded outlet for EOS350-900i, A50862705

A50862705



Cable Power Mains - 2.5m open wires - C19 straight plug (mainly nXRi, XDS, nXLi, E2M18/28), A50508003

A50508003



RV Pumps Extended Drain Plug, A50503000

A50503000



Oil Return Kit - EM18 + 28/EMF, A50420000

A50420000



Gas Ballast Control Valve - EBV300D (1.0 kg) 220 – 240 V s.ph 50/60 Hz (E2M40/80/175/275), A50017930

A50017930



EBV Gas Ballast control valve - EBV20 110V 1-Ph 50/60Hz, A50006984

A50006984



Gas ballast adapter - for EBV20 (EM18/28), A50006003

A50006003



Outlet mist filter (toxic) - MF100AE mist filter (12 kg/26.5 lb), A46211000

A46211000



Inlet Desiccant Trap - ITD20K, A44510000

A44510000



Inlet catchpot - ITO100 5.47 litres/5.2 qt capacity (6.8 kg, 15 lb), A44102000

A44102000



Outlet catchpot CP100, A46103000

A46103000



Inlet chemical trap - ITC100 charcoal charge 0.75 kg/1.7 lb, weight 16.5 kg/ 1.7 lb, A44402000

A44402000



Roots Adaptor - nES200(ex)/EH1200(ex), A35902103

A35902103



Roots Adaptor - nES300ex/EH1200ex, A35902104

A35902104



Roots Adapter - nES200ex/EH500ex, A35902101

A35902101



Roots Adapter - nES100(ex)/EH500(ex), A35902100

A35902100



Roots Adapter - nES300ex/EH500ex, A35902102

A35902102



Thermal switch - nES40/65/100, A35104200

A35104200



Oil level monitor - nES200, A35104206

A35104206



Manometer exhaust oil mist filter - nES, A35104220

A35104220



Roots Adapter - nES630/EH1200-2600, A35124108

A35124108



Oil level monitor - nES630/750, A35104209

A35104209



Roots Adaptor - nES470-570/EH1200-2600, A35104106

A35104106



Oil level monitor - nES40/65/100, A35104205

A35104205



Oil level monitor - nES470/570, A35104208

A35104208



Thermal switch - nES630/750, A35104204

A35104204

Roots Adaptor - nES300/EH1200, A35104104

A35104104



Thermal switch - nES470/570, A35104203

A35104203



Roots Adaptor - nES630-750(ex)/EH1200-2600(ex), A35104108

A35104108



Thermal switch - nES200, A35104201

A35104201



Roots Adaptor - nES200-nES300/EH500, A35104101

A35104101



Vibration isolator - (E2M175/275), A24801406

A24801406



Inlet flange - NPT 2", 971460750

971460750



Adapter kit electro magnetic gas ballst - nES300, 971472680

971472680



Gas ballast - nES630 EM 24V NW16, 971438170
971438170



Gas ballast - nES300 EM 24V NW16, 971465680
971465680



Minimax Cooler System - 230V AC, 912-170-116
912-170-116



Adapter inlet - 4" to 6" For 412H, 900-412-129
900-412-129



Oil Level Monitor New Cover, 900152120

900152120



Gask-O-Seal 8", 900-318-011

900-318-011



Gask-O-Seal 4", 900-318-008

900-318-008



Exhaust oil mist filter - 212J Pump Fiberglass, 900-291-J24

900-291-J24



Connector flex - 6" (150# ASA – both ends), 900-315-011
900-315-011



Gask-O-Seal 6", 900-318-010
900-318-010



Exhaust oil mist filter - 412J Pump Fiberglass, 900-291-J25
900-291-J25



Exhaust oil mist filter heavy duty - 291-1500HD 1500Cfm, 900-291-055
900-291-055

Exhaust oil mist filter - 291-300S Fiberglass, 900-291-025

900-291-025



Exhaust oil mist filter - 291-100S0 Polypropylene, 900-291-033

900-291-033



Minimax Cooler System - 115V AC, 900-170-116

900-170-116



Exhaust oil mist filter - 291-750MB Fiberglass, 900-291-027

900-291-027



Exhaust oil mist filter - 291-150S Fiberglass, 900-291-024

900-291-024



Exhaust oil mist filter - 291-100S Fiberglass, 900-291-023

900-291-023



Exhaust oil mist filter - 291-50S Fiberglass, 900-291-022

900-291-022



Filter gas ballast silencer - 212J 412J 612J, 900-151-002

900-151-002



Auto gas ballast valve - 24V DC 212-412, 900-152-212
900-152-212



Inlet flange - NPT 1 1/4", 71417390
71417390



Adaptater - G 1 1/4" Male - NW40, 71118123V
71118123V



Adapter - G 1 1/4" Male - NPT 1 1/4" Female, 71035973V
71035973V



EBV Gas Ballast control valve - EBV20 220-240V 1-Ph 50/60 Hz, A50006930
A50006930



RV + EM/EMF Oil Return Kit, A50419000
A50419000



Exhaust oil mist filter - EMF20 NW25, A46229000
A46229000



ODP 20 Oil Drain Accessory, A50002000
A50002000



Adapter / Reducer - exhaust nozzle kit BSPP 3/4" G to 15mm, A50509000

A50509000



Outlet mist filter (clean) - oil return kit (E2M175 to E2M275), A50005000

A50005000



Exhaust oil mist filter - MF30 (E2M28), A46233000

A46233000



Outlet catchpot CP300 - 6.5 litre/6.2 qt capacity (12.0 kg/26.5 lb), A46104000

A46104000

Inlet chemical trap - ITC300 charcoal charge 1.1 kg/2.4 lb, weight 9 kg/20 lb, A44403000

A44403000



Inlet catchpot small volume - 0.1 litre capacity weight 0.3 kg, A44105000

A44105000



Inlet high capacity dust filter - ITM300, A44303000

A44303000



Inlet dust filter - ITF100 inlet dust filter (7.0 kg/15 lb), A44202000

A44202000



Inlet high capacity dust filter - ITM100, A44302000

A44302000



Inlet catchpot - ITO300 7.87 litres/7.5 qt capacity (8.0 kg/18 lb), A44103000

A44103000



Vibration isolator - Pk4 (E2M28), A24801412

A24801412



Vibration isolator - (E2M40/80), A24801405

A24801405



Vibration isolator - Pk4 (E2M1.5), A24801407

A24801407



Vibration isolator - Pk4 (RV, E1M18, E2M18, XDS), A24801404

A24801404



Inlet dust filter - ITF20K (3.4) kg, A44215000

A44215000



Cable Power Mains - 2m open wires - C13 straight plug (mainly nXDS, mXDS, E2M0.7/1.5, RV, T-Station ...), A50508000

A50508000



Cable Power Mains - 2m USA/Japan (100-120V) NEMA 5-15P (type B) - C13 10A straight plug (mainly nXDS, mXDS, E2M0.7/1.5, RV, T-Station ...), A50507000

A50507000



Oil Drain Extension Tube For E2M18, A37301020

A37301020



Cable Power Mains - 2.5m EU CEE 7/7 (Schuko type F) - C19 16A straight plug (mainly nXRi, XDS, nXLi, E2M18/28), A50506003

A50506003



Outlet mist filter (clean) - MF100 mist filter (12 kg/26.5 lb), A46203000

A46203000



Inlet dust filter - ITF300 (8.3 kg/18 lb), A44203000

A44203000



Inlet chemical trap - ITC20K charcoal charge 0.4 kg, weight 3.5 kg, A44410000

A44410000



Inlet catchpot - ITO20K 1.84 litres capacity weight 3.2 kg, A44110000

A44110000



Adapter - NW25 to 28mm bore tube, C10520201

C10520201



Adapter Outlet - 3/4" BSP to NW25, C10501414

C10501414



Gas ballast adapter - for EBV20 (no restrictor RV, XDS), A50502000

A50502000



Oil mist filter (clean) - application oil return kit (E2M40 to E2M80), A50004000

A50004000



Outlet mist filter (clean) - MF300 mist filter (28 kg/62 lb), A46204000

A46204000



Exhaust oil mist filter - EMF10 NW25, A46226000

A46226000



Cable Power Mains - 2.5m UK BS1363 (type G) - C19 13A fuse straight plug (mainly nXRi, XDS, nXLi, E2M18/28), A50505003

A50505003



RV/EMF Gas Ballast Oil Return Kit, A50523000

A50523000



Cable Power Mains - 2m UK BS1363 (type G) - C13 10A straight plug (mainly nXDS, mXDS, E2M0.7/1.5, RV, T-Station ...), A50505000

A50505000



Cable Power Mains - 2m EU CEE 7/7 (Schuko type F) - C13 10A straight plug (mainly nXDS, mXDS, E2M0.7/1.5, RV, T-Station ...), A50506000

A50506000



Exhaust oil mist filter - EMF3 NW10, A46220000

A46220000



Cable Power Mains - 2m USA/Japan (100-120V) NEMA 5-15P (type B) - C19 15A straight plug (mainly nXRi, XDS, nXLi, E2M18/28), A50507003

A50507003



Connection Kit - E2M40/EH250F Frame, A50054000

A50054000



Exhaust oil mist filter - 291-750S 750 CFM Fiberglass, 900-291-026

900-291-026



Exhaust oil mist filter - 291-600 Hd Polypropylene, 900-291-050

900-291-050



Gask-O-Seal 2 ", 900-318-006

900-318-006



Exhaust oil mist filter - 291-30S Fiberglass, 900-291-021

900-291-021



Pressure Switch UE Adjustable 5-100 torr, U30008357
U30008357



Gask-O-Seal 3", 900-318-007
900-318-007



Connector flex - 4" (150# ASA – both ends), 900-315-009
900-315-009



Connector flex - 3" (150# ASA – both ends), 900-315-008
900-315-008



Exhaust oil mist filter - 291-300 Hd Polypropylene, 900-291-049

900-291-049



Exhaust oil mist filter - 291-150S Polypropylene, 900-291-034

900-291-034



Exhaust oil mist filter - 291-150 Hd Polypropylene, 900-291-048

900-291-048



Auto gas ballast - 212J 412J 120V 60Hz, 900-151-J12

900-151-J12



Flexible Probe 200mm G4, D14135501

D14135501



Capillary Probe - short (for 200mm Flexible Probe) G4, D14135505

D14135505



Capillary Probe - standard (10 mbar restriction) G4, D14135503

D14135503



Probe Sleeve (pack of 5) G4, D14135502

D14135502



Sniffer line red, 5m (for 14008), D13550213
D13550213



Sniffer line grey, 50m (for 12183), D13550215
D13550215



CL - bespoke E4 RANGE-PIN CASING, 14308
14308



Calibrated leak TL 8, 16557
16557



Sniffer line green, 20m (for 14009), D13550214

D13550214



Cable Auto-Start - ELD500, D13550631

D13550631



ELD500 SL - Standard sniffer line 4m, D13550300

D13550300



Transport Case - ELD500, D13550500

D13550500

Partial Flow Adapter - ELD500 100-120V, D13550406

D13550406



Transmitter Wireless - ELD500 RC additional, D13550130

D13550130



ELD500 SL - Extender Interface, D13550200

D13550200



Remote Control Wired - ELD500 RC, D13550100

D13550100



ELD500 SL - Standard sniffer line 20m, 14009

14009



Cable Remote Control - ELD500 Extension cable 10m, 14022

14022



ELD500 SL - Standard sniffer line 5m, 14008

14008



ELD500 SL - Standard sniffer line 50m, 12183

12183



CL - Calibrated leak He 4 to 6, D13550950

D13550950



CL - Bespoke Leak Rate 0.5 to 1E-7 mbar*l/s - Screwed Socket, D13550930

D13550930



nCart - ELD500 (Trolley only), D13550630

D13550630



Remote Control Wireless - ELD500 RC, D13550110

D13550110



CL - Internal calibrated leak, D13550910

D13550910



Partial Flow Adapter - ELD500 200-240V, D13550400

D13550400



Helium Spray Gun - ELD500 SG, 16555

16555



WRH - TIC cable adaptor (DSUB 15-PIN - Female - RJ45 (FCC 68) - Female), D14750300
D14750300



Cable Gauge Passive - PRG cable - 30m, D03000204
D03000204



Cable Gauge Passive - PRG cable - 50m, D03000205
D03000205



Cable Gauge Passive - PRG cable - 20m, D03000203
D03000203



Cable Gauge Passive - PRG cable - 10m, D03000202

D03000202



Cable Gauge Passive - PRG cable - 5m, D03000201

D03000201



Cable Gauge Passive - IG40 BA/EX cable - 50m (bakeable), D03000305

D03000305



Cable Gauge Passive - IG40 BA/EX cable - 10m (bakeable), D03000302

D03000302



Cable Gauge Passive - IG40 BA/EX cable - 5m (bakeable), D03000301

D03000301



Cable Adapter - 0.5m 4-Pin DIN43650 form A to FCC68 / RJ45 Female - ASG2, D40003160

D40003160



Cable Adapter - DSUB 9-PIN Female to FCC68 / RJ45 Female - WRG D, D40003100

D40003100



Cable Adapter - 0.5m 4-Pin DIN43650 form C to FCC68 / RJ45 Female - AGC-ASG, D40003060

D40003060

Cable Adapter - DSUB 15-PIN Female to FCC68 / RJ45 Female - Barocel to TIC, D40003050

D40003050



Cable Gauge Passive - CPG cable - 50m, D03000105

D03000105



Cable Gauge Passive - CPG cable - 30m, D03000104

D03000104



Cable Gauge Passive - CPG cable - 20m, D03000103

D03000103



Cable Gauge Passive - CPG cable - 10m, D03000102

D03000102



Cable Gauge Passive - CPG cable - 5m, D03000101

D03000101



Cable Gauge Active - 50m (FCC68 / FCC68 (RJ45/RJ45)), D40001500

D40001500



Cable Gauge Active - 25m (FCC68 / FCC68 (RJ45/RJ45)), D40001250

D40001250



Cable Gauge Active - 15m (FCC68 / FCC68 (RJ45/RJ45)), D40001150
D40001150



Cable Gauge Active - 10m (FCC68 / FCC68 (RJ45/RJ45)), D40001100
D40001100



Cable Gauge Active - 5m (FCC68 / FCC68 (RJ45/RJ45)), D40001050
D40001050



Cable Gauge Active - 3m (FCC68 / FCC68 (RJ45/RJ45)), D40001030
D40001030



Cable Gauge Active - 1m (FCC68 / FCC68 (RJ45/RJ45)), D40001010
D40001010



Cable Gauge Active - 0.5m (FCC68 / FCC68 (RJ45/RJ45)), D40001005
D40001005



Accessories kit - P3 gauge, D03000421
D03000421



Aftercooler Retrofit Kit - MK4, A71213024

A71213024



After Cooler HV8000, A71205550

A71205550



Flow Restrictor - REG-1209-D PK1, A24802232

A24802232



Boost coup purge EH1200 all EDP, A60020210

A60020210



Boost coup purge - EH1200/DP160HBP DP250 DP400, A60020211

A60020211



Boost coup purge - EH1200/DP80 DP160, A60020209

A60020209



Boost coup purg - EH2600 EH4200 / DP80 DP160, A60020202

A60020202



Boost coup purge - EH2600 EH4200 / all EDP, A60020208

A60020208



Cable Comms - DC Profibus upgrade - 2m, D39751831
D39751831



Module - DX Profibus, D39751000
D39751000



Power Supply - 24V 200W for TAG Controller, D39592800
D39592800



Cable Power Mains - 2m without plug - C13 (Instruments), D40013020
D40013020



Cable Power Mains - 2m US NEMA5/15P - C13 (Instruments), D40013120
D40013120



Relay Box - Sml Bkg TIC, D39711805
D39711805



Cable Power Mains - 2m EU CEE 7/7 (Schuko type F) - C13 (Instruments), D40013030
D40013030



Module - TIC Profibus MkII, D39754000
D39754000



Cable Comms - RS232 Interface - 2m TIC, D39700834
D39700834



Cable Comms - Logic Interface - 2m TIC, D39700833
D39700833



Cable Power Adapter - IEC320 M/F 2m (for relay box) TIC, D39700831
D39700831



Cable Power Adapter - IEC320 M/F 5m (for relay box) TIC, D39700832
D39700832

Module - DX/nEXT Profibus, D39755000

D39755000



Cable Power Mains - 2m UK BS1363 - C13 (Instruments), D40013025

D40013025



Cable Comms - Profibus 24V - 0.3m, D39750835

D39750835



Cable Comms - Profibus RS232 - 0.3m TIC, D39750016

D39750016



Cable Comms - Profibus upgrade - 2m TIC, D39750836

D39750836



5-Port Electropneumatic Control Valve 24V AC (to be used with BRVPK, QSBP), B28703030
B28703030



5-Port Electropneumatic Control Valve 110V AC (to be used with BRVPK, QSBP), B28703031
B28703031



5-Port Electropneumatic Control Valve 24V DC (to be used with BRVPK, QSBP), B28703055
B28703055



Bolt Pack Kit M8 for DN 160/200/250 CF, B22417190
B22417190



Bolt Pack Kit M12 for Flange ISO 250/320, B22417247
B22417247



Bolt Pack Kit M6 for DN 40 CF, B22417157
B22417157



Bolt Pack Kit M10 for Flange ISO 160/200, B22417217
B22417217



Bolt Pack Kit M8 for Flange ISO 63/100, B22417187
B22417187



Cable Accessory - VIV valve (nRvi) - does not work with nXRi), A50637392

A50637392



Cable Accessory - VIV valve (nXRi), A50637399

A50637399



3-Port Electropneumatic Control Valve 24V AC (to be used with PVPK, IPVPK, SIPVP), H06200125

H06200125



5-Port Electropneumatic Control Valve 230V AC (to be used with BRVPK, QSBP), B28703032

B28703032



**3-Port Electropneumatic Control Valve 24V DC (to be used with PVPK, IPVPK, SIPVP),
H06200124**

H06200124



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ewc@nt-rt.ru || сайт: <https://edwards.nt-rt.ru/>